




**Product Details**

<b>Model Number</b>	AMP-12TRW
<b>ATPV</b>	12 cal/cm <sup>2</sup>
<b>Material</b>	Polycarbonate
<b>Color</b>	Grey
<b>Shield Coatings</b>	Exterior: Anti-Abrasion Hard Coating Interior: Permanent Antifog
<b>Product Weight</b>	0.60 lbs.
<b>Specification</b>	NFPA 70E ASTM F2178 ANSI Z87+S
<b>Description</b>	Replacement arc flash protection face shield window with toric nanoparticle lens and integrated transparent chin protector.
<b>Competitive Advantage</b>	<ul style="list-style-type: none"> <li>• Toric shape for improved visibility, durability and protection</li> <li>• Low profile design conforms to the worker's face while deployed, with a compact fit while above the head in the stowed position</li> <li>• Grey tint for enhanced color recognition</li> <li>• Nanoparticle formulation for a more robust &amp; longer-lasting shield</li> <li>• Premium antifog &amp; anti-abrasion coatings</li> <li>• ArcVent™ system for enhanced ventilation</li> <li>• Integrated transparent chin protector for excellent downward vision &amp; protection from hazards from below</li> <li>• LeverLock® hole pattern for easy shield replacement</li> <li>• Compatible w/ Paulson ALM™ flashlight system</li> </ul>
<b>Applications</b>	Used for dielectric head & face protection against the hazards of arc flash. Not for welding.
<b>Country of Origin</b>	USA
<b>CA Prop. 65 Warning</b>	Cancer & Reproductive - For more information, go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> 
<b>Note</b>	<ul style="list-style-type: none"> <li>• Hardhat not included</li> <li>• Weight-compensating cap bracket and flashlight system sold separately</li> </ul>

